

Contents Index

VOLUME 69, NUMBER 1

JANUARY-FEBRUARY 1992

- iii Instructions to Authors
- v Guidelines for the Preparation and Review of Papers Reporting Sensory Evaluation Data
- vi Acknowledgment of Reviewers
- 1 Factors Controlling Gas Retention in Nonheated Doughs. *H. He and R. C. Hosney*
- 6 Effects of Lipids and Emulsifiers on Alveograph Characteristics. *K. Addo and Y. Pomeranz*
- 13 Determination of Water Distribution and Mobility Inside Maize Kernels During Steeping Using Magnetic Resonance Imaging. *R. Ruan and J. B. Litchfield*
- 17 Effect of the Quantity of Wheat Flour Protein on Bread Loaf Volume. *H. He and R. C. Hosney*
- 20 Influence of Starter Cultures Consisting of Lactic Acid Bacteria and Yeasts on the Performance of a Continuous Sourdough Fermenter. *A. Vollmar and F. Meuser*
- 27 A Colorimetric Method for Estimating Spaghetti Cooking Losses. *R. R. Matsuo, L. J. Malcolmson, N. M. Edwards, and J. E. Dexter*
- 30 A Comparison of Some Rheological Properties of Durum and Wheat Flour Doughs. *L. Lindahl and A.-C. Eliasson*
- 35 Evaluation of the McGill No. 2 Rice Miller. *S. B. Andrews, T. J. Siebenmorgen, and M. Mauromoustakos*
- 43 Wet-Milling Characteristics of Propionate-Treated High-Moisture Maize. I. Yields and Compositions of Products. *C. Wang and L. A. Johnson*
- 47 Wet-Milling Characteristics of Propionate-Treated High-Moisture Maize. II. Qualities of Starch and Gluten. *C. Wang and L. A. Johnson*
- 50 Studies on the Improvement of Quality of Wheat Infected with Karnal Bunt. I. Milling, Rheological, and Baking Properties. *K. S. Sekhon, N. Singh, and R. P. Singh*
- 55 Studies on the Improvement of Quality of Wheat Infected with Karnal Bunt. II. Nutritional and Biological Effects. *N. Singh, K. S. Sekhon, A. K. Srivastava, and P. P. Gupta*
- 60 Effect of Amylose Molecular Size and Amylopectin Branch Chain Length on Paste Properties of Starch. *J.-L. Jane and J.-F. Chen*
- 66 Preservation of High-Moisture Maize by Various Propionate Treatments. *M. O. Raeker, C. J. Bern, L. A. Johnson, and B. A. Glatz*
- 70 Graft Polymerization of Cationic Methacrylate, Acrylamide, and Acrylonitrile Monomers onto Starch by Reactive Extrusion. *M. E. Carr, S. Kim, K. J. Yoon, and K. D. Stanley*
- 75 Total and Soluble Fiber Content of Air-Classified White Flour from Hard and Soft Wheats. *G. S. Ranhotra, J. A. Gelroth, B. K. Glaser, and E. S. Posner*
- 78 Effects of Lime Treatment on the Bioavailability of Calcium in Diets of Tortillas and Beans: Bone and Plasma Composition in Rats. *S. Serna-Saldivar, L. W. Rooney, and L. W. Greene*
- 82 Dry Milling and Physical Characteristics of Alkali-Debranned Yellow Dent Corn. *A. H. Mistry and S. R. Eckhoff*
- 85 Nutrients and Antinutrients in Quinoa Seed. *G. S. Chauhan, N. A. M. Eskin, and R. Tkachuk*
- 89 Studies on Frozen Dough Baking. I. Effects of Egg Yolk and Sugar Ester. *K. Hosomi, K. Nishio, and H. Matsumoto*
- 92 Equivalence of High Molecular Weight Glutenin Subunits Prepared by Reversed-Phase High-Performance Liquid Chromatography and Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis. *A. Kawka, P. K. W. Ng, and W. Bushuk*
- 96 Characterization of Pejibaye Starch. *J.-L. Jane, L. Shen, and F. Aguilar*

Contents Index

VOLUME 69, NUMBER 1

JANUARY-FEBRUARY 1992

- iii Instructions to Authors
- v Guidelines for the Preparation and Review of Papers Reporting Sensory Evaluation Data
- vi Acknowledgment of Reviewers
- 1 Factors Controlling Gas Retention in Nonheated Doughs. *H. He and R. C. Hoseney*
- 6 Effects of Lipids and Emulsifiers on Alveograph Characteristics. *K. Addo and Y. Pomeranz*
- 13 Determination of Water Distribution and Mobility Inside Maize Kernels During Steeping Using Magnetic Resonance Imaging. *R. Ruan and J. B. Litchfield*
- 17 Effect of the Quantity of Wheat Flour Protein on Bread Loaf Volume. *H. He and R. C. Hoseney*
- 20 Influence of Starter Cultures Consisting of Lactic Acid Bacteria and Yeasts on the Performance of a Continuous Sourdough Fermenter. *A. Vollmar and F. Meuser*
- 27 A Colorimetric Method for Estimating Spaghetti Cooking Losses. *R. R. Matsuo, L. J. Malcolmson, N. M. Edwards, and J. E. Dexter*
- 30 A Comparison of Some Rheological Properties of Durum and Wheat Flour Doughs. *L. Lindahl and A.-C. Eliasson*
- 35 Evaluation of the McGill No. 2 Rice Miller. *S. B. Andrews, T. J. Siebenmorgen, and M. Mauromoustakos*
- 43 Wet-Milling Characteristics of Propionate-Treated High-Moisture Maize. I. Yields and Compositions of Products. *C. Wang and L. A. Johnson*
- 47 Wet-Milling Characteristics of Propionate-Treated High-Moisture Maize. II. Qualities of Starch and Gluten. *C. Wang and L. A. Johnson*
- 50 Studies on the Improvement of Quality of Wheat Infected with Karnal Bunt. I. Milling, Rheological, and Baking Properties. *K. S. Sekhon, N. Singh, and R. P. Singh*
- 55 Studies on the Improvement of Quality of Wheat Infected with Karnal Bunt. II. Nutritional and Biological Effects. *N. Singh, K. S. Sekhon, A. K. Srivastava, and P. P. Gupta*
- 60 Effect of Amylose Molecular Size and Amylopectin Branch Chain Length on Paste Properties of Starch. *J.-L. Jane and J.-F. Chen*
- 66 Preservation of High-Moisture Maize by Various Propionate Treatments. *M. O. Raeker, C. J. Bern, L. A. Johnson, and B. A. Glatz*
- 70 Graft Polymerization of Cationic Methacrylate, Acrylamide, and Acrylonitrile Monomers onto Starch by Reactive Extrusion. *M. E. Carr, S. Kim, K. J. Yoon, and K. D. Stanley*
- 75 Total and Soluble Fiber Content of Air-Classified White Flour from Hard and Soft Wheats. *G. S. Ranhotra, J. A. Gelroth, B. K. Glaser, and E. S. Posner*
- 78 Effects of Lime Treatment on the Bioavailability of Calcium in Diets of Tortillas and Beans: Bone and Plasma Composition in Rats. *S. Serna-Saldivar, L. W. Rooney, and L. W. Greene*
- 82 Dry Milling and Physical Characteristics of Alkali-Debranned Yellow Dent Corn. *A. H. Mistry and S. R. Eckhoff*
- 85 Nutrients and Antinutrients in Quinoa Seed. *G. S. Chauhan, N. A. M. Eskin, and R. Tkachuk*
- 89 Studies on Frozen Dough Baking. I. Effects of Egg Yolk and Sugar Ester. *K. Hosomi, K. Nishio, and H. Matsumoto*
- 92 Equivalence of High Molecular Weight Glutenin Subunits Prepared by Reversed-Phase High-Performance Liquid Chromatography and Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis. *A. Kawka, P. K. W. Ng, and W. Bushuk*
- 96 Characterization of Pejibaye Starch. *J.-L. Jane, L. Shen, and F. Aguilar*

- 101 NOTE: Enhancement of High-Performance Liquid Chromatography of Soybean Proteins by Addition of Sodium Dodecyl Sulfate. *R. E. Peterson and W. J. Wolf*
- 103 NOTE: Presence of K Proteins in Developing Wheat Grain. *M. Kazemie and W. Bushuk*
- 105 NOTE: Use of Lithium Chloride for the Extraction of Flour Proteins. *M. Kazemie and W. Bushuk*
- 107 NOTE: Sensitivity of Near-Infrared Absorption to Moisture Content Versus Water Activity in Starch and Cellulose. *S. R. Delwiche, R. E. Pitt, and K. H. Norris*
- 110 NOTE: How "Free" is "Gluten Free"? Relationship Between Kjeldahl Nitrogen Values and Gluten Protein Content for Wheat Starches. *J. H. Skerritt and A. S. Hill*
- 113 NOTE: Zeins in Sweet Corn (*Sugary-1*). *C. M. Wilson*

VOLUME 69, NUMBER 2

MARCH-APRIL 1992

- 115 Instrumental Measurement of Cookie Hardness. I. Assessment of Methods. *C. S. Gaines, A. Kassuba, and P. L. Finney*
- 120 Instrumental Measurement of Cookie Hardness. II. Application to Product Quality Variables. *C. S. Gaines, A. Kassuba, P. L. Finney, and J. R. Donelson*
- 125 Relationships Between Protein Composition and Functional Properties of Wheat Flours. *R. B. Gupta, I. L. Batey, and F. MacRitchie*
- 132 Relationships Between Protein Composition and Mixograph and Loaf Characteristics in Wheat. *H. Dong, R. G. Sears, T. S. Cox, R. C. Hoseney, G. L. Lookhart, and M. D. Shogren*
- 137 Estimation of Milling Efficiency: Prediction of Flour Refinement by the Measurement of Pericarp Fluorescence. *S. J. Symons and J. E. Dexter*
- 141 Age-Related Changes in the Cake-Baking Quality of Flour Milled from Freshly Harvested Soft Wheat. *K. Shelke, R. C. Hoseney, J. M. Faubion, and S. P. Curran*
- 145 Age-Related Changes in the Properties of Batters Made from Flour Milled from Freshly Harvested Soft Wheat. *K. Shelke, R. C. Hoseney, J. M. Faubion, and S. P. Curran*
- 148 Relation Between Wheat Kernel Hardness, Environment, and Gliadin Composition. *F. R. Huebner and C. S. Gaines*
- 152 Stabilizing Brown Rice to Lipolytic Hydrolysis by Ethanol Vapors. *E. T. Champagne and R. J. Hron, Sr.*
- 156 Nitrogen Balance in Infants Fed Formulas Containing Amaranth or a Soy-Oats Formula. *F. R. Del Valle, M. Escobedo, A. Sanchez-Marroquin, H. Bourges, M. A. Bock, and P. Biemer*
- 160 Effect of Various Sugars on the Quality of Baked Cookies. *S. Nishibori and S. Kawakishi*
- 164 Wheat Hardness. I. A Method to Measure Endosperm Tensile Strength Using Tablets Made from Wheat Flour. *R. B. Malouf and R. C. Hoseney*
- 169 Wheat Hardness. II. Effect of Starch Granule Protein on Endosperm Tensile Strength. *R. B. Malouf, W. D. A. Lin, and R. C. Hoseney*
- 174 Influence of Specific Gliadins on the Breadmaking Quality of Wheat. *H. J. Van Lonkhuijsen, R. J. Hamer, and C. Schreuder*
- 178 Effects of Cooking and Treatment with Sodium Bisulfite on In Vitro Protein Digestibility and Microstructure of Sorghum Flour. *D. L. Rom, J. M. Shull, A. Chandrashekar, and A. W. Kirleis*
- 182 Effects of Canola Oil or White Mineral Oil at Dust Suppressant Levels on the Storage Characteristics of Wheat. *N. D. G. White, D. S. Jayas, J. T. Mills, and B. L. Dronzek*

- 188 Air Classification of Flours from Wheats with Varying Hardness: Protein Shifts. *Y. V. Wu and A. C. Stringfellow*
- 191 Relations of Grain Proximate Composition and Physical Properties to Wet-Milling Characteristics of Maize. *S. R. Fox, L. A. Johnson, C. R. Hurburgh, Jr., C. Dorsey-Redding, and T. B. Bailey*
- 198 β -Glucan-Enriched Fractions from Laboratory-Scale Dry Milling and Sieving of Barley and Oats. *B. E. Knuckles, M. M. Chiu, and A. A. Betschart*
- 202 Alkali Debranning of Corn to Obtain Corn Bran. *A. H. Mistry and S. R. Eckhoff*
- 206 Interactions Between Starches, Sugars, and Emulsifiers in High-Ratio Cake Model Systems. *C. S. Kim and C. E. Walker*
- 212 Effects of Sugars and Emulsifiers on Starch Gelatinization Evaluated by Differential Scanning Calorimetry. *C. S. Kim and C. E. Walker*
- 217 Characterization and Prediction of the Compressive Stress-Strain Relationship of Layered Arrays of Spongy Baked Goods. *S. Swyngedau and M. Peleg*
- 222 Rheological Properties and Breadmaking Quality of Wheat Flour Doughs Made with Different Dough Mixers. *K. Mani, A.-C. Eliasson, L. Lindahl, and C. Trägårdh*
- 226 NOTE: Pentosans in Flours of 1B/1R Translocation Wheats. *C. G. Biliaderis, M. S. Izydorczyk, O. M. Lukow, and W. Bushuk*
- 229 COMMUNICATION TO THE EDITOR: Demonstration of the 2-Gram Mixograph as a Research Tool. *F. Bekes and P. W. Gras*

VOLUME 69, NUMBER 3

MAY-JUNE 1992

- 233 Isolation of Oat Starch from Oat Flour. *W. J. Lim, Y. T. Liang, P. A. Seib, and C. S. Rao*
- 237 Cationic Oat Starch: Preparation and Effect on Paper Strength. *W. J. Lim, Y. T. Liang, and P. A. Seib*
- 240 Comparison of the Cholesterol-Lowering Properties of Whole Barley, Oat Bran, and Wheat Red Dog in Chicks and Rats. *R. K. Newman, C. F. Klopfenstein, C. W. Newman, N. Guritno, and P. J. Hofer*
- 244 Composition, Cooking Time, and Maturation of Azuki (*Vigna angularis*) and Common Beans (*Phaseolus vulgaris*). *H. M. Hsieh, Y. Pomeranz, and B. G. Swanson*
- 249 Comparison of Alternative Recording Mechanisms (Mobile vs. Fixed-Bowl) for the 35- and 10-Gram Mixographs. *A. R. Wooding and C. E. Walker*
- 254 Application of a 2-Gram Mixograph to Early Generation Selection for Dough Strength. *P. W. Gras and L. O'Brien*
- 257 Description of the Textural Appearance of Bread Crumb by Video Image Analysis. *D. Bertrand, C. Le Guernevé, D. Marion, M. F. Devaux, and P. Robert*
- 262 Genotypic Effects on β -Glucan Content of Oat Lines Grown in Two Consecutive Years. *H. S. Lim, P. J. White, and K. J. Frey*
- 266 Reduction of Phytic Acid During Breadmaking of Whole-Meal Breads. *B. Fretzdorff and J.-M. Brümmer*
- 270 Inheritance of Gluten Protein Components of a High-Protein Hard Red Spring Wheat Line Derived from *Triticum turgidum* var. *dicoccoides*—Semipreparative RP-HPLC, Gel Electrophoresis, and Amino Acid Composition Studies. *K. Khan, L. Huckle, and B. L. Jones*
- 275 Corn Starch Changes During Tortilla and Tortilla Chip Processing. *M. H. Gomez, J. K. Lee, C. M. McDonough, R. D. Waniska, and L. W. Rooney*
- 280 Preparation and Properties of Small-Particle Corn Starch. *J. Jane, L. Shen, L. Wang, and C. C. Maningat*

- 284 Surface Pores of Starch Granules. *J. E. Fannon, R. J. Hauber, and J. N. BeMiller*
- 288 Effect of High-Temperature Drying of Pasta on Quality Parameters and on Solubility, Gel Electrophoresis, and Reversed-Phase High-Performance Liquid Chromatography of Protein Components. *B. Aktan and K. Khan*
- 296 Characteristics of Alkali-Extracted Starch Obtained from Corn Flour. *A. H. Mistry and S. R. Eckhoff*
- 303 Water Loss and Structure Development in Model Cake Systems Heated by Microwave and Convection Methods. *L. L. P. Lambert, J. Gordon, and E. A. Davis*
- 309 Characterization of Lotus Starch. *A. Suzuki, M. Kaneyama, K. Shibamura, Y. Takeda, J. Abe, and S. Hizukuri*
- 315 Effects of Metal-Complexing Agents on Water Binding by Gluten. *R. L. Clements*
- 321 Firming of Bread Crumb with Cross-Linked Waxy Barley Starch Substituted for Wheat Starch. *T. Inagaki and P. A. Seib*
- 325 Dielectric Monitoring of Gas Production in Fermenting Bread Dough. *M. Ito, S. Yoshikawa, K. Asami, and T. Hanai*
- 328 Thermal and Gelling Properties of Maize Mutants from the OH43 Inbred Line. *Y.-J. Wang, P. White, and L. Pollak*
- 334 Steamed Bread. IV. Negative Steamer-Spring of Strong Flours. *G. L. Rubenthaler, Y. Pomeranz, and M. L. Huang*
- 338 Optimizing Texture of Reduced-Calorie Yellow Layer Cakes. *A. M. Frye and C. S. Setser*
- 343 Corn Hardness as Related to Yield and Particle Size of Fractions from a Micro Hammer-Cutter Mill. *Y. V. Wu*
- 347 NOTE: Copper (II) vs. Zinc Inorganic Salts as Oxidizers in Breadmaking. *K. F. Finney, B. L. Bruinsma, and O. Natsuaki*
- 349 NOTE: Parental Blends as Predictors of Quality in Spring Wheat Hybrids. *S. P. Lanning, C. F. McGuire, and L. E. Talbert*

VOLUME 69, NUMBER 4

JULY-AUGUST 1992

- 351 Viscoelasticity of Zein-Starch Doughs. *J. W. Lawton*
- 355 Inhibition of Rye α -Amylase Activity by Barley α -Amylase Inhibitor. *A. Törrönen, M. Leisola, and S. Haarasilta*
- 359 Puffing Quality of Experimental Varieties of Proso Millets (*Panicum miliaceum*). *K. Delost-Lewis, K. Lorenz, and R. Tribelhorn*
- 366 Effect of Nonchaotropic Salts on Flour Bread-Making Properties. *H. He, R. R. Roach, and R. C. Hosney*
- 371 Reversed-Phase High-Performance Liquid Chromatographic Analysis of Wheat Proteins Using a New, Highly Stable Column. *B. A. Marchylo, D. W. Hatcher, J. E. Kruger, and J. J. Kirkland*
- 379 Lipase Activity in Oats—Distribution, pH Dependence, and Heat Inactivation. *B. Ekstrand, I. Gangby, and G. Åkesson*
- 382 ^{17}O Nuclear Magnetic Resonance Studies on Wheat Starch-Sucrose-Water Interactions with Increasing Temperature. *H. Lim, C. S. Setser, J. V. Paukstelis, and D. Sobczynska*
- 387 Comparisons of Water Mobility Using ^{17}O Nuclear Magnetic Resonance for Four Sugars: Glucose, Maltose, Maltotriose, and Sucrose. *H. Lim, C. S. Setser, and J. V. Paukstelis*
- 390 Grain Dryer Controls: A Review. *R. G. Moreira and F. W. Bakker-Arkema*
- 397 Physical, Chemical, and Dry-Milling Properties of Corn of Varying Density and Breakage Susceptibility. *A. J. Peplinski, M. R. Paulsen, and A. Bouzaher*

- 401 Effect of Starch Gelatinization on Physical Properties of Extruded Wheat- and Corn-Based Products. *S. E. Case, D. D. Hamann, and S. J. Schwartz*
- 405 Location of Amylose in Normal Starch Granules. I. Susceptibility of Amylose and Amylopectin to Cross-Linking Reagents. *J. Jane, A. Xu, M. Radosavljevic, and P. A. Seib*
- 409 Frozen Doughs: Rheological Changes and Yeast Viability. *K. Autio and E. Sinda*
- 413 Characterization and Estimation of Barley Polysaccharides by Near-Infrared Spectroscopy. I. Barleys, Starches, and β -D-Glucans. *Z. Czuchajowska, J. Szczodrak, and Y. Pomeranz*
- 419 Characterization and Estimation of Barley Polysaccharides by Near-Infrared Spectroscopy. II. Estimation of Total β -D-Glucans. *J. Szczodrak, Z. Czuchajowska, and Y. Pomeranz*
- 423 Studies on Frozen Dough. II. Flour Quality Requirements for Bread Production from Frozen Dough. *Y. Inoue and W. Bushuk*
- 428 Quality and Classification of Hard Red Wheat. *D. C. Slaughter, K. H. Norris, and W. R. Hruschka*
- 433 Fractionation of High-Lysine Corn to Produce Edible By-Products. *A. H. Mistry, M. P. Steinberg, and S. R. Eckhoff*
- 436 Variability of α -Amylase Synthesis in Germinating Maize. *C. A. Knutson and M. J. Grove*
- 440 Content and Composition of Nonstarchy Polysaccharides in Endosperms of Sorghums Varying in Hardness. *R. Kavitha and A. Chandrashekar*
- 444 Recovery of Lignin During Nonstarch Polysaccharide Analysis. *S. I. Flint and M. E. Camire*
- 447 Wheat Starch Gelatinization in the Presence of Polydextrose or Hydrolyzed Barley β -Glucan. *S. S. Kim and C. S. Setser*
- 452 Structure of Glutenin Based on Farinograph and Electrophoretic Results. *L. Gao, P. K. W. Ng, and W. Bushuk*
- 456 Structure of Corn Starch Paste and Granule Remnants Revealed by Low-Temperature Scanning Electron Microscopy after Cryopreparation. *J. E. Fannon and J. N. BeMiller*
- 461 NOTE: Amino Acid and Fatty Acid Profiles of the Inca Peanut (*Plukenetia volubilis*). *B. R. Hamaker, C. Valles, R. Gilman, R. M. Hardmeier, D. Clark, H. H. Garcia, A. E. Gonzales, I. Kohlstedt, M. Castro, R. Valdivia, T. Rodriguez, and M. Lescano*
- 463 NOTE: Phytic Acid, Saponins, and Polyphenols in Weaning Foods Prepared from Oven-Heated Green Gram and Cereals. *P. Gahlawat and S. Sehgal*
- 465 COMMUNICATION TO THE EDITOR: Effects of High-Voltage Electric Field Treatment on Wheat Dough and Bread-Making Properties. *S. Aibara, K. Hisaki, and K. Watanabe*
- 467 COMMUNICATION TO THE EDITOR: Enhanced Electrophoretic Detection and Isolation of Friabilin, a Starch Granule Protein. *C. F. Morris, G. A. Greenblatt, and H. I. Malkawi*

VOLUME 69, NUMBER 5

SEPTEMBER-OCTOBER 1992

- 469 β -Glucan Content and Viscosities of Barleys and Their Roller-Milled Flour and Bran Products. *R. S. Bhatti*
- 472 Alkylresorcinols in Extruded Cereal Brans. *I. Al-Ruqaie and K. Lorenz*
- 475 Isolation and Fractionation of Carbohydrate-Containing Proteins from Wheat Gluten. *J. Chen, K. Khan, D. R. Shelton, and B. L. D'Appolonia*
- 481 Structural Characterization of the Carbohydrate Portion of a Glycopeptide from Wheat Gluten. *J. Chen, D. R. Shelton, B. L. D'Appolonia, and K. Khan*
- 485 Cholesterol-Lowering Effects of Rice Bran and Rice Bran Oil Fractions in Hypercholesterolemic Hamsters. *T. S. Kahlon, R. M. Saunders, R. N. Sayre, F. I. Chow, M. M. Chiu, and A. A. Betschart*

- 489 Effect of Addition of Zein and Gliadin on the Rheological Properties of Amylopectin Starch with Low-to-Intermediate Moisture. *H. Madeka and J. L. Kokini*
- 495 Bread Crumb Amylograph Studies. I. Effects of Storage Time, Shortening, Flour Lipids, and Surfactants. *A. Xu, O. K. Chung, and J. G. Ponte, Jr.*
- 502 Bread Crumb Amylograph Studies. II. Cause of Unique Properties. *A. Xu, J. G. Ponte, Jr., and O. K. Chung*
- 508 Characterization of Low Molecular Weight Glutenin Subunits by Reversed-Phase High-Performance Liquid Chromatography, Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis, and N-Terminal Amino Acid Sequencing. *E. J.-L. Lew, D. D. Kuzmicky, and D. D. Kasarda*
- 516 Functional Properties of Psyllium in Wheat-Based Products. *Z. Czuchajowska, B. Paszczynska, and Y. Pomeranz*
- 521 Characterization of Starch Isolated from Oat Groats with Different Amounts of Lipid. *S. M. Hartunian Sowa and P. J. White*
- 528 Physical and Chemical Studies of Taro Starches and Flours. *J. Jane, L. Shen, J. Chen, S. Lim, T. Kasemsuwan, and W. K. Nip*
- 535 Composition of High-Molecular-Weight Glutenin Subunit Dimers Formed by Partial Reduction of Residue Glutenin. *W. E. Werner, A. E. Adalsteins, and D. D. Kasarda*
- 542 Influence of Added Enzymes on the Rheological Properties of a Wheat Flour Dough. *L. Lindahl and A.-C. Eliasson*
- 546 Measurement of Flour Color in Color Space Parameters. *J. R. Oliver, A. B. Blakeney, and H. M. Allen*
- 551 Influence of Protein Addition on Rheological Properties of Amylose- and Amylopectin-Based Starches in Excess Water. *L. L. Chedid and J. L. Kokini*
- 556 Flavor Characterization of Breads Made from Hard Red Winter Wheat and Hard White Winter Wheat. *C.-Y. Chang and E. Chambers IV*
- 560 Analysis of Relationships Between Flour Quality Properties and Protein Fractions in a World Wheat Collection. *K. R. Preston, O. M. Lukow, and B. Morgan*
- 567 Popping Behavior and Zein Coating of Popcorn. *P. J. Wu and H. G. Schwartzberg*
- 574 Effect of Certain Salts on Bread Loaf Volume and on Soluble Nitrogen of Wheat Flour and Nonfat Dry Milk Slurries. *R. R. Roach, C. S. Lai, and R. C. Hoseney*
- 577 Phytate Content of Soft Wheat Brans as Related to Kernel Size, Cultivar, Location, and Milling and Flour Quality Parameters. *F. R. Dintzis, J. Lehrfeld, T. C. Nelsen, and P. L. Finney*
- 582 Effect of Baking Absorption on Bread Yield, Crumb Moisture, and Crumb Water Activity. *D. P. Puhr and B. L. D'Appolonia*

VOLUME 69, NUMBER 6

NOVEMBER-DECEMBER 1992

- 587 Effects of Additives on Flour-Water Dough Mixograms. *C. E. Lang, E. K. Neises, and C. E. Walker*
- 592 Pentosans from Gluten-Washing Wastewater: Isolation, Characterizations, and Role in Baking. *Y. Yin and C. E. Walker*
- 597 Differential Scanning Calorimetric and Rheological Study of the Gelatinization of Starch Granules Embedded in a Gel Matrix. *H. Liu and J. Lelievre*
- 600 Simultaneous and Nondestructive Measurement of Transient Moisture Profiles and Structural Changes in Corn Kernels During Steeping Using Microscopic Nuclear Magnetic Resonance Imaging. *R. Ruan, J. B. Litchfield, and S. R. Eckhoff*
- 607 Hydrophobic Properties of Reduced and Alkylated Acetic Acid-Soluble Glutenins—Fractionation by Hydrophobic Interaction Chromatography. *E. M. Magnus and K. Khan*

- 613 Effects of Selected Surfactants on Amylopectin Recrystallization and on Recoverability of Bread Crumb During Storage. *P. A. Rao, A. Nussinovitch, and P. Chinachoti*
- 619 Use of a Penetrometer for Measuring Rheological Characteristics of Biscuit Dough. *R. Sai Manohar and P. Haridas Rao*
- 623 Lipidemic Response in Rats Fed Flaxseed or Sunflower Oils. *G. S. Ranhotra, J. A. Gelroth, and B. K. Glaser*
- 626 Starch-Lipid Interactions and Formation of Resistant Starch in High-Amylose Barley. *J. Szczodrak and Y. Pomeranz*
- 632 Effect of Degree of Milling of Brown Rice and Particle Size of Milled Rice on Starch Gelatinization. *W. E. Marshall*
- 637 Water Self-Diffusion Coefficients and Dielectric Properties Determined for Starch-Gluten-Water Mixtures Heated by Microwave and by Conventional Methods. *S. L. Umbach, E. A. Davis, J. Gordon, and P. T. Callaghan*
- 643 Sequential Extraction Processing of Flaked Whole Corn: Alternative Corn Fractionation Technology for Ethanol Production. *M. P. Hojilla-Evangelista, L. A. Johnson, and D. J. Myers*
- 647 Oat Bran Concentrates: Physical Properties of β -Glucan and Hypocholesterolemic Effects in Rats. *Y. Mäkki, K. Autio, O. Hänninen, O. Myllymäki, K. Pelkonen, T. Suortti, and R. Törrönen*
- 654 Swelling and Gelatinization of Cereal Starches. III. Some Properties of Waxy and Normal Nonwaxy Barley Starches. *R. F. Tester and W. R. Morrison*
- 659 A Room-Temperature, Rapid Method for the Determination of Protein in Wheat and Other Grains by the Biuret Reaction. *F. C. Strong III, and A. M. A. Duarte*
- 664 Influence of Nitrogen Fertilization on the Potential Bread-Baking Quality of Two Wheat Cultivars Differing in Their Responses to Increasing Nitrogen Supplies. *P. Scheromm, G. Martin, A. Bergoin, and J.-C. Autran*
- 671 NOTE: Measurement of Durum Pigment with a Near-Infrared Instrument Operating in the Visible Range. *T. N. McCaig, J. G. McLeod, J. M. Clarke, and R. M. DePauw*
- 673 NOTE: Effects on Proteins in Sorghum, Maize, and Pearl Millet When Processed Into Acidic and Basic Tö. *N. E. Vivas, R. D. Waniska, and L. W. Rooney*
- 677 NOTE: Identification of Some Wheat Proteins Separated by a Two-Step Acid Polyacrylamide Gel Electrophoresis and Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis Technique. *G. Branlard, D. Khelifi, and G. Lookhart*
- 678 NOTE: Elastic Properties of Bread Crumb. *A. Nussinovitch, M. S. Steffens, and P. Chinachoti*
- 681 NOTE: Dough Temperature Changes During Mixing in a Mixograph. *A. Li and C. E. Walker*
- 683 NOTE: Analysis of Potassium Bromate in Flour, Dough, and Bread. *V. A. De Stefanis*
- 686 COMMUNICATION TO THE EDITOR: Use of Multistacking Gels in Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis to Reveal Polydispersity, Aggregation, and Disaggregation of the Glutenin Protein Fraction. *K. Khan and L. Huckle*
- 689 Author Index, Volume 69
- 693 Subject Index, Volume 69
- 1 *Cereal Chemistry*® Editors and Staff
- 2 Contents Index, Volume 69

